



SAFETY DATA SHEET (SDS)

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008, (EU) No. 453/2010

Revision Date 21-May-2015

WAI2 - EGHS - EUROPEAN

Revision Number 1

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15, 00653-16, 00653-18, 00653-20, 35653-12,
 00653-23, 00653-27, 00653-47, 35653-10, 00653-50, 35653-13, 35653-15

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier Cole-Parmer™
 North America
 625 East Bunker Court
 Vernon Hills, IL
 60061 USA
 Tel: 1-800-323-4340

E-mail address info@coleparmer.com

Made in USA

1.4. Emergency telephone number 24 Hour Emergency Phone Number
 CHEMTREC®
 Within USA and Canada: 1-800-424-9300
 Outside USA and Canada: 1-703-527-3887

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15,

Document No. 264886-001

EN

Page 2 / 13

Product Name 1413 uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

(collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification - Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16.

Symbol(s)

Not dangerous goods

2.2. Label elements

Product Identifier

Signal Word

None

EUH210 - Safety data sheet available on request

P202 - Do not handle until all safety precautions have been read and understood

2.3. Other hazards

No information available

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	Chemical Formula	EC-No.	CAS-No	Weight %	DSD Classification - 67/548/EEC	CLP Classification - Regulation (EC) No 1272/2008	REACH Reg. No
Water	No information available	EEC No. 231-791-2	7732-18-5	90 - 100%	-		No information available
Potassium Chloride	No information available	EEC No. 231-211-8	7447-40-7	0 - 10%	-		No information available

Note *The exact percentage (concentration) of composition has been withheld as a trade secret

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16.

Full text of H- and EUH-phrases: see section 16

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Use first aid treatment according to the nature of the injury. For further assistance, contact your local Poison Control Center. Show this safety data sheet to the doctor in attendance.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, obtain medical attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician or Poison Control Center immediately.
Protection of First-aiders	Use personal protective equipment. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms/effects No information available

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment. Evacuate personnel to safe areas.

6.2. Environmental precautions

Environmental Precautions Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Reference to Other Sections

Refer to protective measures listed in Sections 7 and 8

See Section 8 for information on appropriate personal protective equipment

See Section 12 for additional Ecological Information

See Section 13 for additional waste treatment information

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

To avoid risks to human health and the environment, comply with the instructions for use. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Ensure adequate ventilation, especially in confined areas.

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15,

Document No. 264886-001

EN

Page 6 / 13

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Keep away from direct sunlight.

7.3. Specific end use(s)

Specific Use

Laboratory reagent

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Measures Showers
 Eyewash stations
 Ventilation systems

Personal protective equipment

Eye/face Protection Wear chemical splash goggles. If splashes are likely to occur, wear:.. Face-shield.

Skin and body protection Wear protective gloves/clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid
Appearance Clear

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15,

Document No. 264886-001

EN

Page 7 / 13

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

Odor None
Odor Threshold No information available
pH Range 4.75 - 7.75

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point/freezing point	No information available	
Boiling Point/Range	~ 100 °C / 212 °F	
Flash Point (High in °C)	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	soluble	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition Temperature		
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content(%)	No information available	
Density	No Information available	
Bulk Density	No information available	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity
 No information available

10.2. Chemical stability
 Stable under normal conditions

Explosion Data
 Sensitivity to Mechanical Impact None
 Sensitivity to Static Discharge None

10.3. Possibility of hazardous reactions
 None under normal processing

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

10.4. Conditions to avoid

Extremes of temperature and direct sunlight

10.5. Incompatible materials

No information available

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	No information available
Eye Contact	No information available
Skin Contact	No information available
Ingestion	No information available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	> 90 mL/kg (Rat)		
Potassium Chloride	= 2600 mg/kg (Rat)		

Skin Corrosion/Irritation	No information available
Serious eye damage/eye irritation	No information available
Sensitization	No information available
Mutagenic Effects	No information available
Carcinogenic effects	No information available
Reproductive Effects	No information available
STOT - single exposure	No information available
STOT - repeated exposure	No information available
Aspiration hazard	No information available

SECTION 12: ECOLOGICAL INFORMATION

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15,

Document No. 264886-001

EN

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

12.1. Toxicity

Component	Freshwater Algae	Freshwater Fish	Water Flea
Potassium Chloride	2500: 72 h Desmodesmus subspicatus mg/L EC50	750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50 static	83: 48 h Daphnia magna mg/L EC50 Static 825: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
Subsidiary Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Marine Pollutant	Not Applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to	No information available

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

Annex II of MARPOL 73/78 and the IBC Code

RID

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not Applicable
14.6 Special Provisions	None

ADR

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not Applicable
14.6 Special Provisions	None

ICAO

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
Subsidiary Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not Applicable
14.6 Special Provisions	None

IATA

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not Applicable
14.6 Special Provisions	None

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

USINV	Complies
CANINV	Complies

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15,

Document No. 264886-001

EN

Page 11 / 13

Product Name 1413 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 uS/cm Conductivity Solution
 PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

EINECS/ELINCS	Complies
ENCS	Does not Comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
CANINV/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3
 No information available

Legend - SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Prepared By	Thermo Fisher Scientific® Water and Lab Products 22 Alpha Road Chelmsford, MA 01824, USA 1-978-232-6000
Prepared For	Cole-Parmer™
Issue Date	No information available
Revision Date	21-May-2015
Expiration Date	SDS is valid 3 years from the revision date. Contact info@coleparmer.com for the latest revision.
Reason for revision	Update to CLP Format

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15,

Document No. 264886-001

EN

Page 12 / 13

Product Name 1413 uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
uS/cm Conductivity Solution
PPT as NaCl Pouch, 5650 uS/cm

Revision Date 21-May-2015

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet